

FASSON® Glossprint

issued: 08/06/2016

Introduction

A self-adhesive paper sheet product for offset printing.

Description

Face	: A machine-coated, calendered woodfree paper, gloss finish white
Adhesive	: Permanent
Backing	: No cracklines
	: Scored backing*

Printing & Conversion

Four colour offset printing. Before applying the label, the surface must be clean, dry and grease-free.

General

Shelf life	: 2 years stored at 20 °C / 55% R.H.
------------	--------------------------------------

Physical properties**Face**

Basis weight	: 80 g/m ²	ISO 536
Caliper	: 65 micron	ISO 534

Adhesive

Permanent General-purpose emulsion-based permanent adhesive

Permanent

Minimum application temperature

+5 °C

Service temperature range -40 °C to +110 °C

Backing

No cracklines A bleached one-side-coated white kraft, designed for sheet products, featuring minimal moisture sensitivity.

Scored backing One-side-coated bleached kraft paper, with crush-scored lines, running in the machine direction, **31.25 mm** apart. Bending along one of the lines will crack the backing open for easy removal. The functionality of scored backing products is strongly related to label size. We advise not to use scored backing for labels larger than A4 (210 x 297 mm) or smaller than A8 (52 x 74 mm). Also the direction of the scorelines is of importance; for labels from A8 to A6 (105x 148 mm) it is commendatory to have the scorelines parallel to the short side of the label. For products not complying to these recommendations Avery Dennison does not take responsibility for the functionality of the scorelines.

Warranty: All Avery Dennison and FASSON® brand products statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison and FASSON® brand products products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison and FASSON® brand products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.europe.averydennison.com>.

Important: Information on physical and chemical characteristics is based upon tests we believe to be reliable. The values listed herein are typical values and are not for use in specifications. They are intended only as a source of information and are given without guarantee and do not constitute a warranty.